

Safety Data Sheet

SUMA SAN CONC D4A-CONC

Revision: 2018-08-23

Version: 01.1

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: SUMA SAN CONC D4A-CONC

1.2 Recommended use and restrictions on use Identified uses: Sanitiser Restrictions of use: Uses other than those identified are not recommended

1.3 Details of the supplier

Diversey Australia Pty. Limited 29 Chifley St, Smithfield, NSW, 2164, Australia Telephone: 1800 647 779 (toll free) Fax: (02) 9725 5767 Email: aucustserv@diversey.com Website: www.diversey.com/

1.4 Emergency telephone number Call 1800 033 111 (24hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Serious eye damage, Category 1 Skin irritation, Category 2

2.2 Label elements



Signal word: Danger

Hazard statements:

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

Prevention statement(s):

P233 - Keep container tightly closed.

- P264 Wash face, hands and any exposed skin thoroughly after handling.
- P280 Wear protective gloves, protective clothing and eye or face protection.

Response statement(s):

P332 + P313 - If skin irritation occurs: Get medical advice or attention.

- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTRE, doctor or physician.
- P321 Specific treatment (see supplemental first aid instructions on this label).
- P362 Take off contaminated clothing.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

2.4 Classification diluted product:

Recommended maximum concentration (%): 0.4

Not classified as hazardous

SECTION 3: Composition/information on ingredients

3.1 Substances / Mixtures

. ..

Ingredient(s)	CAS number	EC number	Weight percent
didecyldimethylammonium chloride	7173-51-5	230-525-2	3-10
alkyl alcohol ethoxylate	68439-46-3	Polymer*	1-3
propan-2-ol	67-63-0	200-661-7	1-3

Non-hazardous ingredients are the remainder and add up to 100%.

* Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

For the full text of the H and AUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measure	S
Inhalation:	Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Immediately rinse eyes cautiously with lukewarm water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
First aid facilities:	Eyewash facilities should be considered in a workplace where necessary.
4.2 Most important symptoms and	effects, both acute and delayed
Inhalation:	No known effects or symptoms in normal use.

Inhalation:	No known effects or symptoms in normal use.
Skin contact:	Causes irritation.
Eye contact:	Causes severe or permanent damage.
Ingestion:	No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 13 11 26 (Australia Wide).

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

•3Z

•3 - Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used.

Z - Full fire kit and breathing apparatus. Contain.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with eyes. Use only with adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original packaging. Store in a closed container. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s) (TWA)	Short term value(s) (STEL)	Peak value(s)
propan-2-ol	400 ppm 983 mg/m ³	500 ppm 1230 mg/m ³	
	963 mg/m°	1230 mg/m ^e	

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product: Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: Appropriate organisational controls:	If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required. Avoid direct contact and/or splashes where possible. Train personnel.
Personal protective equipment Eye / face protection: Hand protection:	Safety glasses or goggles (EN 166). Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.
Body protection:	Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).
Respiratory protection:	No special requirements under normal use conditions.
Environmental exposure controls:	Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (%): 0.4

Appropriate engineering controls: Appropriate organisational controls:	No special requirements under normal use conditions. No special requirements under normal use conditions.
Personal protective equipment	
Eye / face protection:	Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166).
Hand protection:	Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.
Body protection:	No special requirements under normal use conditions.
Respiratory protection:	No special requirements under normal use conditions.
Environmental exposure controls:	No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State: Liquid Colour: Clear, Dark Purple Odour: Product specific Odour threshold: Not applicable pH: Not available (neat) Dilution pH: \geq 3 (1%) Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined Flash point (°C): > 100 Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2) Evaporation rate: Not determined Flammability (solid, gas): Not determined Upper/lower flammability limit (%): Not determined Vapour pressure: Not determined Vapour density: Not determined **Relative density:** \approx 1 (20 °C) Solubility in / Miscibility with Water: Fully miscible Partition coefficient: n-octanol/water No information available. Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3 Autoignition temperature: Not determined Decomposition temperature: Not applicable. Viscosity: Not determined Explosive properties: Not explosive. Oxidising properties: Not oxidising

9.2 Other information Surface tension (N/m): Not determined Corrosion to metals: Not corrosive

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Page 4/10

Not relevant to classification of this product

closed cup

Method / remark

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >5000

Skin irritation and corrosivity

Result: Skin irritant 2 Species: Rabbit

Method: Weight of evidence

Substance data, where relevant and available, are listed below:.

Acute toxicity Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
didecyldimethylammonium chloride	LD 50	238	Rat	Method not given	
alkyl alcohol ethoxylate	LD 50	> 300-2000	Rat	Method not given	
propan-2-ol	LD 50	3570	Rat	Method not given	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
didecyldimethylammonium chloride		No data available			
alkyl alcohol ethoxylate	LD 50	> 2000	Rabbit	Method not given	
propan-2-ol	LD 50	> 2000	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
didecyldimethylammonium chloride		No data available			
alkyl alcohol ethoxylate		No data available			
propan-2-ol	LC 50	> 25 (vapour)	Rat	OECD 403 (EU B.2)	6

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
didecyldimethylammonium chloride	Corrosive	Rabbit	OECD 404 (EU B.4)	
alkyl alcohol ethoxylate	Not irritant	Rabbit	Method not given	
propan-2-ol	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
didecyldimethylammonium chloride	No data available			
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
propan-2-ol	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
didecyldimethylammonium chloride	No data available			
alkyl alcohol ethoxylate	Not irritating to			
	respiratory tract			
propan-2-ol	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
didecyldimethylammonium chloride	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
			Buehler test	
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	
propan-2-ol	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
			Buehler test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
didecyldimethylammonium chloride	No data available			
alkyl alcohol ethoxylate	No data available			
propan-2-ol	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method	Result (in-vivo)	Method

		(in-vitro)		(in-vivo)
didecyldimethylammonium chloride	No evidence of genotoxicity, negative	OECD 471 (EU	No data available	
	test results	B.12/13) OECD		
		473 OECD 476		
alkyl alcohol ethoxylate	No evidence for mutagenicity, negative	Method not	No data available	
	test results	given		
propan-2-ol	No evidence for mutagenicity, negative	OECD 471 (EU	No evidence of genotoxicity, negative	OECD 474 (EU
	test results No evidence of genotoxicity,	B.12/13)	test results	B.12)
	negative test results			

Carcinogenicity

Ingredient(s)	Effect
didecyldimethylammonium chloride	No data available
alkyl alcohol ethoxylate	No evidence for carcinogenicity, negative test results
propan-2-ol	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value	Species	Method	Exposure	Remarks and other effects
			(mg/kg bw/d)			time	reported
didecyldimethylammoni			No data				
um chloride			available				
alkyl alcohol ethoxylate	NOAEL		> 250	Rat			No known significant effects or
							critical hazards
propan-2-ol			No data				
			available				

Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
didecyldimethylammonium chloride		No data available				
alkyl alcohol ethoxylate		No data available				
propan-2-ol		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
didecyldimethylammonium chloride		No data				
		available				
alkyl alcohol ethoxylate	NOAEL	80		OECD 411 (EU		
				B.28)		
propan-2-ol		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
didecyldimethylammonium chloride		No data				
		available				
alkyl alcohol ethoxylate		No data				
		available				
propan-2-ol		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure	Endpoint	Value	Species	Method	Exposure	Specific effects and	Remark
	route		(mg/kg bw/d)			time	organs affected	
didecyldimethylammoni			No data					
um chloride			available					
alkyl alcohol ethoxylate		NOAEL	80		Method not			
					given			
propan-2-ol			No data					
			available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
didecyldimethylammonium chloride	No data available
alkyl alcohol ethoxylate	Not applicable
propan-2-ol	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
didecyldimethylammonium chloride	No data available
alkyl alcohol ethoxylate	Not applicable
propan-2-ol	No data available

Method

OECD 202 (EU C.2)

92/69/EEC

Method not given

Exposure

time (h)

48

48

48

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

propan-2-ol

Aquatic short-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
didecyldimethylammonium chloride	LC 50	0.97	Brachydanio rerio	OECD 203 (EU C.1)	96
alkyl alcohol ethoxylate	LC 50	5 - 7	Fish	OECD 203 (EU C.1)	96
propan-2-ol	LC 50	> 100	Pimephales promelas	Method not given	48

Aquatic short-term toxicity - crustacea Ingredient(s) Endpoint Value Species (mg/l) didecyldimethylammonium chloride Daphnia EC 50 0.053 magna Straus alkyl alcohol ethoxylate EC 50 5.3 Daphnia magna Straus

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/l)			time (h)
didecyldimethylammonium chloride	EC 50	0.053	Pseudokirchner	OECD 201 (EU C.3)	72
			iella		
			subcapitata		
alkyl alcohol ethoxylate	EC 50	1.4 - 47	Not specified	92/69/EEC	72
propan-2-ol	EC 50	> 100	Scenedesmus	Method not given	72
			quadricauda	-	

EC 50

> 100

Daphnia

magna Straus

Aquatic short-term toxicity - marine species					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
didecyldimethylammonium chloride		No data available			-
alkyl alcohol ethoxylate		No data available			-
propan-2-ol		No data available			-

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value	Inoculum	Method	Exposure
		(mg/l)			time
didecyldimethylammonium chloride		No data			
		available			
alkyl alcohol ethoxylate	EC 50	> 140	Bacteria	Method not given	
propan-2-ol	EC 50	> 1000	Activated	Method not given	
			sludge		

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
didecyldimethylammonium chloride		No data				
		available				
alkyl alcohol ethoxylate	EC 10	8983	Not specified	Method not	21 day(s)	
				given		
propan-2-ol		No data				
		available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/l)			time	

didecyldimethylammonium chloride	NOEC	> 0.01-0.1	Daphnia	OECD 211	21 day(s)	
			magna			
alkyl alcohol ethoxylate		2579	Daphnia	Method not	21 day(s)	
			magna	given		
propan-2-ol		No data				
		available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:								
Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed		
didecyldimethylammonium chloride		No data available			-			
alkyl alcohol ethoxylate		No data available			-			
propan-2-ol		No data available			-			

Terrestrial toxicity Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw soil)			time (days)	
didecyldimethylammonium chloride		No data			-	
		available				
alkyl alcohol ethoxylate		No data			-	
		available				
propan-2-ol		No data			-	
		available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
didecyldimethylammonium chloride		No data available			-	
alkyl alcohol ethoxylate		No data available			-	
propan-2-ol		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
didecyldimethylammonium chloride		No data available			-	
alkyl alcohol ethoxylate		No data available			-	
propan-2-ol		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
didecyldimethylammonium chloride		No data available			-	
alkyl alcohol ethoxylate		No data available			-	
propan-2-ol		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
didecyldimethylammonium chloride		No data available			-	
alkyl alcohol ethoxylate		No data available			-	
propan-2-ol		No data available			-	

12.2 Persistence and degradability

Abiotic degradation Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions					
Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
didecyldimethylammonium chloride		Oxygen depletion	> 60%	OECD 301D	Readily biodegradable
alkyl alcohol ethoxylate			80%	Method not given	Readily biodegradable
propan-2-ol			95 % in 21 day(s)	OECD 301E	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log	Kow)			
Ingredient(s)	Value	Method	Evaluation	Remark
didecyldimethylammonium chloride	No data available			
alkyl alcohol ethoxylate	3.11 - 4.19			
propan-2-ol	0.05	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
didecyldimethylammoni	2.1		Method not given	No bioaccumulation expected	
um chloride					
alkyl alcohol ethoxylate	< 500				
propan-2-ol	No data available				

12.4 Mobility in soil

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
didecyldimethylammonium chloride	No data available				
alkyl alcohol ethoxylate	No data available				High potential for mobility in soil
propan-2-ol	No data available				Potential for mobility in soil, soluble in water

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

oil or codimont

13.1 Waste treatment methods Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging Recommendation: Suitable cleaning agents:

Dispose of observing national or local regulations. Water, if necessary with cleaning agent.

SECTION 14: Transport information



ADG, IMO/IMDG, ICAO/IATA 14.1 UN number: 3082 14.2 UN proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (didecyldimethylammoniumchloride) 14.3 Transport hazard class(es):

- Transport hazard class (and subsidiary risks): 9
- 14.4 Packing group: III
- 14.5 Environmental hazards:
 - Environmentally hazardous: Yes
 - Marine pollutant: Yes
- 14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

Hazchem code: •3Z

The product has been classified, labelled and packaged in accordance with the requirements of ADG and the provisions of the IMDG Code. Transport regulations include special provisions for dangerous goods packed in small quantities classified under UN3077 or UN3082 (a) IMDG 2.10.2.7 exception: Labelling and packaging not subject to this Code when package in single or combination packagings containing a net quantity per single or inner packaging of 5L(kg) or less

(b) ADG 7.5 SP No. AU01 exception: Labelling and packaging not subject to this Code when transported by road or rail in packagings not > 500 kg(L) or IBCs

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
Poison schedule	A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Classification	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
Inventory listing(s)	AICS (Australian Inventory of Chemical Substances): All components are listed on AICS, or are exempt.

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

Version: 01.1

SDS code: MS31000460

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
 DNEL Derived No Effect Limit
- · EUH CLP Specific hazard statement
- · PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative

ATE - Acute Toxicity Estimate

End of Safety Data Sheet

Revision: 2018-08-23