



Step Off

Revision: 2018-02-02

Version: 01.0

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: Step Off

1.2 Recommended use and restrictions on use

Identified uses:

Stripper

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

Diversey Australia Pty. Limited
29 Chifley St, Smithfield, NSW, 2164, Australia
Telephone: 1800 647 779 (toll free)
Fax: (02) 9725 5767
Email: aucustserv@diversey.com
Website: www.diversey.com/

1.4 Emergency telephone number

Call 1800 033 111 (24hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin corrosion, Category 1B

Specific target organ toxicity (single exposure), Category 3

Corrosive to metals, Category 1

2.2 Label elements



Signal word: Danger

Hazard statements:

H314 - Causes severe skin burns and eye damage.

H335 - May cause respiratory irritation.

H290 - May be corrosive to metals.

Prevention statement(s):

P233 - Keep container tightly closed.

P234 - Keep only in original packaging.

P260 - Do not breathe vapours.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves, protective clothing and eye or face protection.

Response statement(s):

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P312 - Call a POISON CENTRE, doctor or physician if you feel unwell.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P363 - Wash contaminated clothing before reuse.

P390 - Absorb spillage to prevent material damage.

Step Off

Storage statement(s):

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.
 P405 - Store locked up.
 P406 - Store in corrosive-resistant container with a resistant inner liner.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

Recommended maximum concentration (%): 20

Skin irritation, Category 2
 Serious eye irritation, Category 2



Warning.

H315 + H319 - Causes skin and serious eye irritation.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P280 - Wear protective gloves.

P332 + P313 - If skin irritation occurs: Get medical advice or attention.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P362 - Take off contaminated clothing.

P501 - Dispose of unused content as chemical waste.

SECTION 3: Composition/information on ingredients

3.1 Substances / Mixtures

Ingredient(s)	CAS number	EC number	Weight percent
disodium metasilicate	6834-92-0	229-912-9	3-10
2-aminoethanol	141-43-5	205-483-3	3-10
sodium hydroxide	1310-73-2	215-185-5	1-3

Non-hazardous ingredients are the remainder and add up to 100%.

* Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

For the full text of the H and AUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation:	Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.
Skin contact:	Take off immediately all contaminated clothing and wash it before re-use. Immediately call a POISON CENTRE, doctor or physician.
Eye contact:	Immediately rinse eyes cautiously with lukewarm water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
First aid facilities:	Shower and eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:	May cause respiratory irritation.
Skin contact:	Causes severe burns.
Eye contact:	Causes severe or permanent damage.
Ingestion:	Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

Step Off

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 13 11 26 (Australia Wide).

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

2X

2 - Fine water spray.

X - Liquid-tight chemical protective clothing and breathing apparatus. Contain.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversy. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with skin and eyes. Do not breathe vapours. Use only with adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original packaging. Store in a closed container. Store in a well-ventilated place.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	Long term value(s) (TWA)	Short term value(s) (STEL)	Peak value(s)
2-aminoethanol	3 ppm 7.5 mg/m ³	6 ppm 15 mg/m ³	
sodium hydroxide			2 mg/m ³

Step Off

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

Hand protection: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: \geq 480 min

Material thickness: \geq 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: \geq 30 min Material thickness: \geq 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection: Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection: Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 20

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product.

Hand protection: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: \geq 480 min

Material thickness: \geq 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: \geq 30 min Material thickness: \geq 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection: No special requirements under normal use conditions.

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State: Liquid

Colour: Clear, Colourless

Odour: Product specific

Odour threshold: Not applicable

pH: $>$ 13 (neat)

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Flash point (°C): Not applicable.

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Method / remark

Not relevant to classification of this product

Step Off

Evaporation rate: Not determined
Flammability (solid, gas): Not determined
Upper/lower flammability limit (%): Not determined
Vapour pressure: Not determined
Vapour density: Not determined
Relative density: \approx 1.085 (20 °C)
Solubility in / Miscibility with Water: Fully miscible
Partition coefficient: n-octanol/water No information available.
 Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3
Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
Viscosity: Not determined
Explosive properties: Not explosive.
Oxidising properties: Not oxidising

9.2 Other information

Surface tension (N/m): Not determined
Corrosion to metals: Corrosive

Weight of evidence

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >5000
 ATE - Dermal (mg/kg): >5000
 ATE - Inhalatory, vapours (mg/l): >50

Substance data, where relevant and available, are listed below:

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
disodium metasilicate	LD ₅₀	770 - 820	Mouse	Method not given	
2-aminoethanol	LD ₅₀	1515	Rat	OECD 401 (EU B.1)	
sodium hydroxide		No data available			

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
disodium metasilicate		No data available			
2-aminoethanol	LD ₅₀	1025	Rabbit	Method not given	
sodium hydroxide		No data available			

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
---------------	----------	-------	---------	--------	----------

Step Off

		(mg/l)			time (h)
disodium metasilicate		No data available			
2-aminoethanol		No mortality observed	Rat	Non guideline test	6
sodium hydroxide		No data available			

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
disodium metasilicate	Corrosive		Method not given	
2-aminoethanol	Corrosive	Rabbit	OECD 404 (EU B.4)	
sodium hydroxide	Corrosive	Rabbit	Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
disodium metasilicate	Corrosive		Method not given	
2-aminoethanol	Severe damage	Rabbit	OECD 405 (EU B.5)	
sodium hydroxide	Corrosive	Rabbit	Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
disodium metasilicate	No data available			
2-aminoethanol	Irritating to respiratory tract		Method not given	
sodium hydroxide	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
disodium metasilicate	No data available			
2-aminoethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
sodium hydroxide	Not sensitising		Human repeated patch test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
disodium metasilicate	No data available			
2-aminoethanol	No data available			
sodium hydroxide	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
disodium metasilicate	No data available		No data available	
2-aminoethanol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476 (Mouse lymphoma)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
sodium hydroxide	No evidence for mutagenicity, negative test results	DNA repair test on rat hepatocytes OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)

Carcinogenicity

Ingredient(s)	Effect
disodium metasilicate	No data available
2-aminoethanol	No evidence for carcinogenicity, weight-of-evidence
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
disodium metasilicate			No data available				
2-aminoethanol	NOAEL	Developmental toxicity	> 75	Rabbit	OECD 414 (EU B.31), oral	6 - 15 day(s)	No evidence for developmental toxicity No evidence for reproductive toxicity
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity

Step Off

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
disodium metasilicate	NOAEL	> 227 - 237	Rat	Method not given		
2-aminoethanol	NOAEL	300	Rat		75	
sodium hydroxide		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
disodium metasilicate		No data available				
2-aminoethanol		No data available				
sodium hydroxide		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
disodium metasilicate		No data available				
2-aminoethanol		No data available				
sodium hydroxide		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
disodium metasilicate			No data available					
2-aminoethanol			No data available					
sodium hydroxide			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
disodium metasilicate	No data available
2-aminoethanol	No data available
sodium hydroxide	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
disodium metasilicate	No data available
2-aminoethanol	No data available
sodium hydroxide	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information**12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
disodium metasilicate	LC ₅₀	210	<i>Brachydanio rerio</i>	Method not given	96
2-aminoethanol	LC ₅₀	349	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96
sodium hydroxide	LC ₅₀	35	<i>Various species</i>	Method not given	96

Step Off

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
disodium metasilicate	EC ₅₀	1700	<i>Daphnia</i>	Method not given	48
2-aminoethanol	EC ₅₀	65	<i>Daphnia magna</i> Straus	OECD 202, static	48
sodium hydroxide	EC ₅₀	40.4	<i>Ceriodaphnia</i> sp.	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
disodium metasilicate	EC ₅₀	207	<i>Chlorella pyrenoidosa</i>	Method not given	72
2-aminoethanol	NOEC	1	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	72
sodium hydroxide	EC ₅₀	22	<i>Photobacterium phosphoreum</i>	Method not given	0.25

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
disodium metasilicate		No data available			-
2-aminoethanol		No data available			-
sodium hydroxide		No data available			-

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
disodium metasilicate	EC ₅₀	> 100	Activated sludge	Method not given	3 hour(s)
2-aminoethanol	EC ₅₀	> 1000	Activated sludge	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)
sodium hydroxide		No data available			

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
disodium metasilicate		No data available				
2-aminoethanol	NOEC	1.2	<i>Oryzias latipes</i>	OECD 210	30 day(s)	
sodium hydroxide		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
disodium metasilicate		No data available				
2-aminoethanol	NOEC	0.85	<i>Daphnia magna</i>	OECD 211	21 day(s)	
sodium hydroxide		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
disodium metasilicate		No data available			-	
2-aminoethanol		No data available			-	
sodium hydroxide		No data available			-	

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
disodium metasilicate		No data			-	

Step Off

		available				
2-aminoethanol		No data available			-	
sodium hydroxide		No data available			-	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
disodium metasilicate		No data available			-	
2-aminoethanol		No data available			-	
sodium hydroxide		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
disodium metasilicate		No data available			-	
2-aminoethanol		No data available			-	
sodium hydroxide		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
disodium metasilicate		No data available			-	
2-aminoethanol		No data available			-	
sodium hydroxide		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
disodium metasilicate		No data available			-	
2-aminoethanol		No data available			-	
sodium hydroxide		No data available			-	

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
disodium metasilicate					Not applicable (inorganic substance)
2-aminoethanol		DOC reduction	> 90 % in 21 day(s)	OECD 301A	Readily biodegradable
sodium hydroxide					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
disodium metasilicate	No data available			
2-aminoethanol	- 1.91	OECD 107	No bioaccumulation expected	

Step Off

sodium hydroxide	No data available		Not relevant, does not bioaccumulate	
------------------	-------------------	--	--------------------------------------	--

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
disodium metasilicate	No data available				
2-aminoethanol	No data available				
sodium hydroxide	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
disodium metasilicate	No data available				
2-aminoethanol	0.067		Model calculation		Potential for mobility in soil, soluble in water Adsorption to solid soil phase is not expected
sodium hydroxide	No data available				Mobile in soil

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**ADG, IMO/IMDG, ICAO/IATA**

14.1 UN number: 1760

14.2 UN proper shipping name:

Corrosive liquid, n.o.s. (disodium trioxosilicate , ethanolamine)

14.3 Transport hazard class(es):

Class: 8

Label(s): 8

14.4 Packing group: III

14.5 Environmental hazards:

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

Hazchem code: 2X

The product has been classified, labelled and packaged in accordance with the requirements of ADG and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.

Poison schedule

Classified as a Schedule 5 (S5) Poison using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Inventory listing(s)

AICS (Australian Inventory of Chemical Substances): All components are listed on AICS, or are exempt.

Step Off

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS31000392**Version:** 01.0**Revision:** 2018-02-02

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- DNEL - Derived No Effect Limit
- EUH - CLP Specific hazard statement
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- ATE - Acute Toxicity Estimate

End of Safety Data Sheet